



Certificate of Analysis

Customer Information

Client: Haute Brands LLC
Attention: teamhautebrands@gmail.com
Address: 1351 Oakbrook Rd, Unit 158
Atlanta, Georgia 30093

Testing Facility

Lab: Cora Science, LLC
Address 8000 Anderson Square, STE 113
Austin, Texas 78757
Contact: info@corascience.com
(512) 856-5007

Sample Image(s)



Sample Information

Name: FIX Beyond - Citrus Drift
Lot Number: 152-000163
Description: Pressed Tablet
Condition: Good
Job ID: ISO07225
Sample ID: I20246
Received: 29MAY2026
Completed: 04JUN2026
Issued: 08JUN2026

Test Results

Microbial Examination

Method Code: T005

Tested: 04JUN2026 | 0854

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Total Aerobic Plate Count	NMT 10,000 CFU/g	<LOQ	CFU/g	20 CFU/g	PASS
Total Yeast and Mold	NMT 1,000 CFU/g	<LOQ	CFU/g	20 CFU/g	PASS
Total Coliforms	NMT 100 CFU/g	<LOQ	CFU/g	20 CFU/g	PASS
Escherichia coli	Not Detected in 10 g	Not Detected	N/A	1 CFU/10g	PASS
Salmonella spp.	Not Detected in 10 g	Not Detected	N/A	1 CFU/10g	PASS

Mitragyna Alkaloids (UHPLC-DAD)

Method Code: T102

Tested: 04JUN2026 | 1707

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	31.9	mg/unit	0.029	N/A
7-Hydroxymitragynine	Report Results	1.13	mg/unit	0.0039	N/A
Mitragynine Pseudoindoxyl	Report Results	0.231	mg/unit	0.030	N/A
Mitraciliatine	Report Results	<LOQ	mg/unit	0.030	N/A
Speciociliatine	Report Results	0.997	mg/unit	0.029	N/A
Speciogynine	Report Results	2.52	mg/unit	0.029	N/A
Paynantheine	Report Results	4.99	mg/unit	0.029	N/A
Coryantheidine	Report Results	0.575	mg/unit	0.030	N/A
Corynoxine	Report Results	0.865	mg/unit	0.029	N/A
Isorhynchophylline	Report Results	0.268	mg/unit	0.029	N/A
Mitraphylline	Report Results	0.443	mg/unit	0.029	N/A
Total Mitragyna Alkaloids	Report Results	43.9	mg/unit	0.029	N/A

Mitragyna Alkaloids (UHPLC-DAD)

Method Code: T102

Tested: 04JUN2026 | 1707

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Mitragynine	Report Results	6.01	w/w%	0.0055	N/A
7-Hydroxymitragynine	Report Results	0.212	w/w%	0.00073	N/A
Mitragynine Pseudoindoxyl	Report Results	0.0436	w/w%	0.0057	N/A
Mitraciliatine	Report Results	<LOQ	w/w%	0.0056	N/A
Speciociliatine	Report Results	0.188	w/w%	0.0055	N/A
Speciogynine	Report Results	0.475	w/w%	0.0055	N/A
Paynantheine	Report Results	0.941	w/w%	0.0055	N/A
Coryantheidine	Report Results	0.109	w/w%	0.0056	N/A
Corynoxine	Report Results	0.163	w/w%	0.0055	N/A
Isorhynchophylline	Report Results	0.0505	w/w%	0.0055	N/A
Mitraphylline	Report Results	0.0835	w/w%	0.0055	N/A
Total Mitragyna Alkaloids	Report Results	8.28	w/w%	0.0057	N/A

Residual Solvents: Class I (GC-MS)		Method Code: T201		Tested: 04JUN2026 0207		
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES	
1,1-Dichloroethene	NMT 8	<LOQ	ug/g	0.40	PASS	
1,1,1-Trichloroethane	NMT 1500	<LOQ	ug/g	75	PASS	
Tetrachloromethane	NMT 4	<LOQ	ug/g	0.20	PASS	
Benzene	NMT 2	<LOQ	ug/g	0.10	PASS	
1,2-Dichloroethane	NMT 5	<LOQ	ug/g	0.25	PASS	

Residual Solvents: Class II (GC-MS)		Method Code: T201		Tested: 04JUN2026 0207		
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES	
Methanol	NMT 3000	708	ug/g	75	PASS	
Acetonitrile	NMT 410	<LOQ	ug/g	41	PASS	
Dichloromethane	NMT 600	<LOQ	ug/g	15	PASS	
1,2-Dichloroethene, (E)	NMT 1870	<LOQ	ug/g	46.75	PASS	
1,2-Dichloroethene, (Z)	NMT 1870	<LOQ	ug/g	46.75	PASS	
Tetrahydrofuran	NMT 720	<LOQ	ug/g	18	PASS	
Cyclohexane	NMT 3880	<LOQ	ug/g	97	PASS	
Methylcyclohexane	NMT 1180	<LOQ	ug/g	29.5	PASS	
1,4-Dioxane	NMT 380	<LOQ	ug/g	38	PASS	
Toluene	NMT 890	<LOQ	ug/g	22.25	PASS	
Chlorobenzene	NMT 360	<LOQ	ug/g	9	PASS	
Ethylbenzene	NMT 2170	<LOQ	ug/g	54.25	PASS	
o/p-Xylene	NMT 2170	<LOQ	ug/g	54.25	PASS	
m-Xylene	NMT 2170	<LOQ	ug/g	54.25	PASS	
Isopropylbenzene	NMT 70	<LOQ	ug/g	1.75	PASS	
Hexane	NMT 290	<LOQ	ug/g	7.25	PASS	
Nitromethane	NMT 50	<LOQ	ug/g	1.25	PASS	
Chloroform	NMT 60	3.11	ug/g	1.5	PASS	
1,2-Dimethoxyethane	NMT 100	<LOQ	ug/g	2.5	PASS	
Trichloroethene	NMT 80	<LOQ	ug/g	2	PASS	
Pyridine	NMT 200	<LOQ	ug/g	5	PASS	
2-Hexanone	NMT 50	<LOQ	ug/g	5	PASS	

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Tetralin	NMT 100	<LOQ	ug/g	2.5	PASS
Total Xylenes	NMT 2170	<LOQ	ug/g	54	PASS

Residual Solvents: Class III (GC-MS)		Method Code: T201		Tested: 04JUN2026 0207		
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES	
Pentane	NMT 5000	<LOQ	ug/g	125	PASS	
Ethanol	NMT 5000	<LOQ	ug/g	125	PASS	
Diethyl Ether	NMT 5000	<LOQ	ug/g	125	PASS	
Acetone	NMT 5000	<LOQ	ug/g	125	PASS	
Ethyl Formate	NMT 5000	<LOQ	ug/g	125	PASS	
Isopropanol	NMT 5000	<LOQ	ug/g	125	PASS	
Methyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS	
Methyl tert-Butyl Ether	NMT 5000	<LOQ	ug/g	125	PASS	
1-Propanol	NMT 5000	<LOQ	ug/g	125	PASS	
2-Butanone	NMT 5000	<LOQ	ug/g	125	PASS	
Ethyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS	
2-Butanol	NMT 5000	<LOQ	ug/g	125	PASS	
2-Methyl-1-Propanol	NMT 5000	<LOQ	ug/g	125	PASS	
Isopropyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS	
Heptane	NMT 5000	<LOQ	ug/g	125	PASS	
1-Butanol	NMT 5000	<LOQ	ug/g	125	PASS	
Propyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS	
4-Methyl-2-Pentanone	NMT 5000	<LOQ	ug/g	125	PASS	
Isoamyl Alcohol	NMT 5000	<LOQ	ug/g	125	PASS	
Isobutyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS	
1-Pentanol	NMT 5000	<LOQ	ug/g	125	PASS	
Butyl Acetate	NMT 5000	<LOQ	ug/g	125	PASS	
Dimethylsulfoxide	NMT 5000	<LOQ	ug/g	125	PASS	
Anisole	NMT 5000	<LOQ	ug/g	125	PASS	

Elemental Impurities (ICP-MS)		Method Code: T301		Tested: 03JUN2026 1013		
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES	
Arsenic	NMT 1.50	0.163	ug/g	0.006	PASS	
Cadmium	NMT 0.50	0.003	ug/g	0.002	PASS	
Mercury	NMT 0.20	<LOQ	ug/g	0.002	PASS	
Lead	NMT 0.50	0.044	ug/g	0.002	PASS	

Pesticides (GC-MS/MS)		Method Code: T401		Tested: 04JUN2026 2048		
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES	
Acephate	NMT 0.1	ND	mg/Kg	0.01	PASS	
Azinphos-ethyl	NMT 0.1	ND	mg/Kg	0.01	PASS	
Azinphos-methyl	NMT 1	ND	mg/Kg	0.01	PASS	
Bromophos-ethyl	NMT 0.05	ND	mg/Kg	0.01	PASS	
Bromophos-methyl	NMT 0.05	ND	mg/Kg	0.01	PASS	
Chlorfenvinphos	NMT 0.5	ND	mg/Kg	0.01	PASS	

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Deltamethrin	NMT 0.5	ND	mg/Kg	0.01	PASS
Diazinon	NMT 0.5	ND	mg/Kg	0.01	PASS
Dichlofluanid	NMT 0.1	ND	mg/Kg	0.01	PASS
Dichlorvos	NMT 1	ND	mg/Kg	0.02	PASS
Dimethoate (and Omethoate, sum)	NMT 0.1	ND	mg/Kg	0.01	PASS
Omethaote	Report Results	ND	mg/Kg	0.01	N/A
Dithiocarbamates (sum, as CS2)	NMT 2	ND	mg/Kg	0.10	PASS
Dithiocarbamate, manganese	Report Results	ND	mg/Kg	0.05	N/A
Dithiocarbamate, zinc	Report Results	ND	mg/Kg	0.05	N/A
Ethion	NMT 2	ND	mg/Kg	0.01	PASS
Etrimphos	NMT 0.05	ND	mg/Kg	0.01	PASS
Fenchlorphos	NMT 0.1	ND	mg/Kg	0.02	PASS
Fenchlorphos oxon	Report Results	ND	mg/Kg	0.01	N/A
Fenitrothion	NMT 0.5	ND	mg/Kg	0.01	PASS
Fenpropathrin	NMT 0.03	ND	mg/Kg	0.01	PASS
Fensulfothions (sum)	NMT 0.05	ND	mg/Kg	0.04	PASS
Fensulfothion-oxon	Report Results	ND	mg/Kg	0.01	N/A
Fensulfothion-oxonsulfone	Report Results	ND	mg/Kg	0.01	N/A
Fensulfothion-sulfone	Report Results	ND	mg/Kg	0.01	N/A
Fenthions (sum)	NMT 0.05	ND	mg/Kg	0.02	PASS
Fenthion oxon	Report Results	ND	mg/Kg	0.02	N/A
Fenthion oxonsulfone	Report Results	ND	mg/Kg	0.02	N/A
Fenthion oxonsulfoxide	Report Results	ND	mg/Kg	0.02	N/A
Fenthion sulfone	Report Results	ND	mg/Kg	0.02	N/A
Fenthion sulfoxide	Report Results	ND	mg/Kg	0.02	N/A
Flucythrinate	NMT 0.05	ND	mg/Kg	0.01	PASS
Fluvalinate	NMT 0.05	ND	mg/Kg	0.01	PASS
Fonophos	NMT 0.05	ND	mg/Kg	0.01	PASS
Malathion (and oxon, sum)	NMT 1	ND	mg/Kg	0.02	PASS
Malathion oxon	Report Results	ND	mg/Kg	0.01	N/A
Mecarbam	NMT 0.05	ND	mg/Kg	0.01	PASS
Methacriphos	NMT 0.05	ND	mg/Kg	0.01	PASS
Methamidophos	NMT 0.05	ND	mg/Kg	0.01	PASS
Methadathion	NMT 0.2	ND	mg/Kg	0.01	PASS
Monocrotophos	NMT 0.1	ND	mg/Kg	0.01	PASS
Parathion-ethyl (and oxon, sum)	NMT 0.5	ND	mg/Kg	0.02	PASS
Paraoxon ethyl	Report Results	ND	mg/Kg	0.01	N/A
Parathion-methyl (and oxon, sum)	NMT 0.2	ND	mg/Kg	0.02	PASS
Paraoxon methyl	Report Results	ND	mg/Kg	0.01	N/A
Pendimethalin	NMT 0.1	ND	mg/Kg	0.01	PASS
Phosalone	NMT 0.1	ND	mg/Kg	0.01	PASS
Pirimiphos ethyl	NMT 0.05	ND	mg/Kg	0.01	PASS
Pirimphos methyl (and N-desethyl-, sum)	NMT 4	ND	mg/Kg	0.03	PASS
N-desethylpirimiphos methyl	Report Results	ND	mg/Kg	0.02	N/A
Procymidone	NMT 0.1	ND	mg/Kg	0.01	PASS
Profenofos	NMT 0.1	ND	mg/Kg	0.01	PASS

This report, prepared by Cora Science, LLC, shall not be reproduced except in its entirety without prior written approval. All test articles are analyzed as received and the results relate only to the specific sample of material or product analyzed. Test methods are performed in a laboratory accredited to ISO/IEC 17025:2017 in the field of testing by PJLA (Accreditation #116374) or a registered outsourcing facility. Some test methods reported may fall outside the scope of L22-250 supplement.

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Prothiophos	NMT 0.05	ND	mg/Kg	0.01	PASS
Pyrethrum (sum of following six)	NMT 3	ND	mg/Kg	0.05	PASS
Cinerin I	Report Results	ND	mg/Kg	0.05	N/A
Cinerin II	Report Results	ND	mg/Kg	0.05	N/A
Jasmoline I	Report Results	ND	mg/Kg	0.05	N/A
Jasmoline II	Report Results	ND	mg/Kg	0.05	N/A
Pyrethrin I	Report Results	ND	mg/Kg	0.05	N/A
Pyrethrin II	Report Results	ND	mg/Kg	0.05	N/A
Quinalphos	NMT 0.05	ND	mg/Kg	0.01	PASS
Tetradifon	NMT 0.3	ND	mg/Kg	0.01	PASS
Vinclozolin	NMT 0.4	ND	mg/Kg	0.01	PASS
Aldrin (and Dieldrin, sum)	NMT 0.05	ND	mg/Kg	0.02	PASS
Dieldrin	Report Results	ND	mg/Kg	0.01	N/A
Alachlor	NMT 0.05	ND	mg/Kg	0.01	PASS
Bromopropylate	NMT 3	ND	mg/Kg	0.01	PASS
Chlordanes (sum)	NMT 0.05	ND	mg/Kg	0.02	PASS
cis-Chlordane	Report Results	ND	mg/Kg	0.01	N/A
trans-Chlordane	Report Results	ND	mg/Kg	0.01	N/A
oxy-Chlordane	Report Results	ND	mg/Kg	0.02	N/A
Chlorpyrifos-ethyl	NMT 0.2	ND	mg/Kg	0.01	PASS
Chlorpyrifos-methyl	NMT 0.1	ND	mg/Kg	0.01	PASS
Chlorthal-dimethyl	NMT 0.01	ND	mg/Kg	0.01	PASS
Cyfluthrin	NMT 0.1	ND	mg/Kg	0.02	PASS
lambda-Cyhalothrin	NMT 1	ND	mg/Kg	0.01	PASS
Cypermethrins	NMT 1	ND	mg/Kg	0.02	PASS
DDT (sum of DDT, DDE, DDD)	NMT 1	ND	mg/Kg	0.01	PASS
o,p-DDT	Report Results	ND	mg/Kg	0.01	N/A
p,p-DDT	Report Results	ND	mg/Kg	0.01	N/A
o,p-DDE	Report Results	ND	mg/Kg	0.01	N/A
p,p-DDE	Report Results	ND	mg/Kg	0.01	N/A
o,p-DDD	Report Results	ND	mg/Kg	0.01	N/A
p,p-DDD	Report Results	ND	mg/Kg	0.01	N/A
Dicofol	NMT 0.5	ND	mg/Kg	0.01	PASS
Endosulfans	NMT 3	ND	mg/Kg	0.01	PASS
Endosulfan I	Report Results	ND	mg/Kg	0.01	N/A
Endosulfan II	Report Results	ND	mg/Kg	0.01	N/A
Endosulfan sulfate	Report Results	ND	mg/Kg	0.01	N/A
Endrin	NMT 0.05	ND	mg/Kg	0.01	PASS
Fenvalderate (and esfen-, sum)	NMT 1.5	ND	mg/Kg	0.02	PASS
Esfenvalerate	Report Results	ND	mg/Kg	0.02	N/A
Heptachlor (and epoxide, sum)	NMT 0.05	ND	mg/Kg	0.02	PASS
Heptachlor epoxide (cis/trans)	Report Results	ND	mg/Kg	0.01	N/A
Hexachlorobenzene	NMT 0.1	ND	mg/Kg	0.01	PASS
Hexachlorohexanes (sum)	NMT 0.3	ND	mg/Kg	0.01	PASS
alpha-Hexachlorocyclohexane	Report Results	ND	mg/Kg	0.01	N/A
beta-Hexachlorocyclohexane	Report Results	ND	mg/Kg	0.01	N/A

PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
delta-Hexachlorocyclohexane	Report Results	ND	mg/Kg	0.01	N/A
Lindane	NMT 0.6	ND	mg/Kg	0.01	PASS
Methoxychlor	NMT 0.05	ND	mg/Kg	0.01	PASS
Mirex	NMT 0.01	ND	mg/Kg	0.01	PASS
Pentachloroanisole	NMT 0.01	ND	mg/Kg	0.01	PASS
Permethrins (sum)	NMT 1	ND	mg/Kg	0.01	PASS
cis-Permethrin	Report Results	ND	mg/Kg	0.01	N/A
trans-Permethin	Report Results	ND	mg/Kg	0.01	N/A
Piperonyl butoxide	NMT 3	ND	mg/Kg	0.01	PASS
Quintozene (sum of following two)	NMT 1	ND	mg/Kg	0.09	PASS
Pentachloroaniline	Report Results	ND	mg/Kg	0.02	N/A
Methyl pentachlorophenyl sulfide	Report Results	ND	mg/Kg	0.05	N/A
Tecnazene	NMT 0.05	ND	mg/Kg	0.01	PASS
S-421	NMT 0.02	ND	mg/Kg	0.01	PASS

Unit Weight Analysis (Gravimetric)		Method Code: T503		Tested: 02JUN2026 1537	
PARAMETER	SPECIFICATION	RESULT	UNIT	LOQ	NOTES
Unit Weight	Report Results	0.530	grams	0.05	N/A

Additional Report Notes

T102E result, LOQ and unit converted from w/w% to mg/unit using a laboratory measured unit weight. T401 performed by a registered outsourcing facility.

Revision History


Report ID: a57c781a-7afc-4404-b0f3-5ab80bbfe4db
rev 00 - Initial release.

Abbreviations

ID: identification, **N/A:** not applicable, **LOQ:** limit of quantitation, **CFU:** colony forming units, **w/w%:** weight by weight percent, **mg:** milligrams, **g:** grams, **ug:** micrograms, **mL:** milliliters, **ND:** not detected, **<LOQ:** below limit of quantitation, **NMT:** no more than, **NLT:** no less than, **UHPLC:** ultra-high performance liquid chromatography, **GC:** gas chromatography, **DAD:** diode array detection/detector, **MS:** mass spectroscopy/spectrometer, **ICP:** inductively coupled plasma, **ISO:** International Organization for Standardization, **USP:** United States Pharmacopeia

Authorization

This report has been authorized for release from Cora Science by:

Signature:		Position:	Laboratory Director
Name:	Tyler West	Department:	Management
		Date:	08JUN2026

